

6" Balustrade Design Request Form

Please fax the completed Design Request Form and Balustrade Layout to 1.714.630.4549
Attn: Design Services. For further assistance, please call Design Services at 1.800.294.1098
Or visit us online at www.balustradesystem.com

Step 1

Please complete your contact information.

Name: _____
Company Name: _____
Address: _____
City: _____ State: _____ Zip Code: _____
Telephone: (____) _____ - _____ Fax : (____) _____ - _____
E-mail: _____

Step 2

What style Baluster would you like?

*Installed according to our standard installation method meets or exceeds most 36" residential code requirements.

** Installed according to our standard installation method meets or exceeds most 42" commercial code requirements.

Ashley

- BAL2X10AY
- BAL3X15AY
- BAL3X20AY
- BAL3X24AY
- BAL3X28AY*
- BAL3X32AY**
- BAL3X36AY**
- BAL3X38AY**

Classic

- BAL3X20CC
- BAL3X24CC
- BAL3X28CC*
- BAL3X32CC**

Logan

- BAL3X18LNOB
- BAL3X18LN
- BAL3X20LN
- BAL3X24LN
- BAL3X28LN*
- BAL3X32LN**
- BAL3X36LN**
- BAL4X24LN

Piedmont

- BAL4X36PM**

Rosedale

- BAL3X20RL
- BAL3X24RL
- BAL3X28RL*
- BAL3X32RL**

Square

- BAL2X9SQ
- BAL2X16SQ
- BAL2X20SQ
- BAL2X28SQ*
- BAL2X32SQ**

Woodruff

- BAL3X18WF
- BAL3X20WFOB
- BAL3X20WF
- BAL3X24WF
- BAL3X28WF*
- BAL3X32WF**
- BAL3X36WF**

Step 3

Does your installation need to meet code?

Yes No (if no please specify preferred spindle spacing) _____"

Step 4

If you will be using our newel posts or porch post, which is recommend. If you are using newel posts please select what style of newel post cap you would like.

I will be using a...

6" Newel Post 8" Newel Post 12" Newel Post Porch Post

Newel Post Caps


- PST10X10F (Post top flat)
- PST10X10P (Post top Peaked)
- B5X7 (Ball Top)

Balustrade Systems by Pacific Columns. Tel: 1.800.294.1098 or 1.714.630.4550 Fax: 1.714.630.4549


6" Balustrade Design Sketch Sheet Instructions

Balustrade Systems by Pacific Columns

1. Draw a birds-eye view of where you are going to have railing. You can see by the example below on how to draw your birds-eye view.




2. Enter the length of each railing section with the total length in inches.



IMPORTANT: Measurements should be to the outside corner for new installations and to the post or column for remodels.

3. Next, label each section of railing as a Run. You can see the example below on how to label each run.



4. Enter the data into the Project Data Chart.

New Construction				Remodel			
Run	Starting Newel	Ending Newel	Run Length	Run	Starting Newel	Ending Newel	Run Length
1	Yes	Yes	110"	1	No	No	98"
2	No	Yes	36"	2	No	No	24"
3	No	Yes	32"	3	No	No	20"
4	No	Yes	143"	4	No	No	131"
5	No	Yes	142"	5	No	No	136"

6" Balustrade Design Sketch Sheet

Balustrade Systems by Pacific Columns

Project Data Chart

Run	Starting Newel	Ending Newel	Run Length	Run	Starting Newel	Ending Newel	Run Length
1				6			
2				7			
3				8			
4				9			
5				10			

Design Request Sketch Sheet



6" Balustrade Design Extra Sketch Sheet

Balustrade Systems by Pacific Columns


Project Data Chart

Run	Starting Newel	Ending Newel	Run Length	Run	Starting Newel	Ending Newel	Run Length
1				6			
2				7			
3				8			
4				9			
5				10			

Design Request Sketch Sheet








Top Rail



Baluster



Porch Post




Bottom Rail



Newel Post

DEFINE YOUR BOUNDARIES.

This design accent is excellent for defining living space, indoors and out. With Pacific Columns Balustrade Systems, you can transform an ordinary porch into an impressive statement of design and sophistication. You can also make patios, balconies and stairways more inviting with the distinctive styles and sizes available. Balustrades are made up of non-corrosive parts that keep their beauty with little maintenance. Most fasteners remain totally hidden to provide a clean, classic appearance from any view. And all parts are composed of the same durable urethane material featured in all our products. To meet structural requirements, baluster rails, newels and porch posts are reinforced. For easy installation and ordering, complete systems are available with all the essential components.



HOW TO ORDER BALUSTRADE SYSTEMS.

SAMPLE CHART

**5" Balustrade System
Baluster - Classic (CC)**

Part Number	Maximum Center-to-Center Distance To Meet 4" Rule. <small>(See Page 2 BL For Details)</small>
NEW BAL3X20CC	5"


The 4" Ball Space Requirement Rule—

gives you the *maximum* center-to-center distance between Balusters and still does not allow a 4" Ball to pass through at any point between the Balusters.

When laying out Balusters, use the maximum center to center dimension or smaller to allow for a safe dimension to pass the 4" ball space requirement rule.

KEY POINTS TO REMEMBER

- This Balustrade section/catalog is divided into four systems: 5", 6", 7" & 12". This number designates the width of the Top and Bottom Rail. When choosing balustrade components, choose items within the same system to ensure they will all work together.
- All part numbers are alphanumeric—the "alpha" is product descriptive and the "numeric" relates to size.



- The number of Balusters you need can be found by dividing the rail span, in inches, by the maximum center-to-center distance shown for the Baluster style that you choose. **NOTE: When dividing gives you a fractional result, always round up to the next whole number.**

Example: BAL3X20CC - requires 5" on center spacing


Rail Span ÷ Center Spacing = # of Balusters Needed

$$96" \div 5" = 20$$


- Each rail section (span between two Newel Posts) will require two Rail Installation Kits (BRK). Rail Installation Kits will connect both ends of one rail to a Newel Post. **NOTE: The Rail Installation Kit will not work on stair applications.**
- Each Newel Post will require one Newel Post Installation Kit (NPK) to anchor the base of the post, as well as any Post Tops, Balls or Trim Collars desired.
- Top and Bottom Rails do not come pre-drilled.
- A urethane-based adhesive such as PL Premium must be used on all joints.
- For installation instructions, refer to the back of the comprehensive, full-line product catalog or visit www.pacificcolumns.com.
- Balustrade Systems may require additional shipping time, depending on the style of product and size of order.
- Pacific Columns Balustrade Systems have been tested and meet the following BOCA National Building Code/1993 Criteria if assembled according to manufacturer's guidelines.
 - 1615.8.2 Guard Design and Construction
 - 1615.8.2.1 In-Fill Areas



6" BALUSTRADE SYSTEM



- TC8 Trim Collar
- PST10X10P Post Top - Peaked
- PP8X96 Porch Post
(Installation Kit Included)
- BTR6X96 Baluster Top Rail
- NP8X48 Newel Post
- BAL3X32AY Baluster
- TC8 Trim Collar
- RSB4X4X6 Rail Support Block
- BBR6X96 Baluster Bottom Rail
- TC8 Trim Collar



BAL3X32AY
Baluster Reinforced


BTR6X96
Baluster Top Rail Reinforced

NP8X48
Newel Post Reinforced


PP8X96
Load-bearing Porch Post Reinforced

BBR6X96
Baluster Bottom Rail Reinforced


6" Balustrade System
Baluster - Ashley (AY)




BAL2X10AY




BAL3X15AY




BAL3X20AY




BAL3X24AY




BAL3X28AY



BAL3X32AY



BAL3X36AY



BAL3X38AY


Part Number

Maximum Center-to-Center Distance To Meet 4" Rule.
(See Page 2 BL For Details)


BAL2X10AY	5 7/8"	<i>Ideal for Porch Spandrel application.</i>
BAL3X15AY	5 11/16"	
NEW BAL3X20AY	5 3/8"	
BAL3X24AY	5 7/16"	
BAL3X28AY	5 5/16"	
BAL3X32AY	5 5/16"	
BAL3X36AY	5 3/16"	
BAL3X38AY	5 3/16"	




6" Balustrade System
Baluster - Logan (LN)




BAL3X18LNOB*




BAL3X18LN




BAL3X20LN




BAL3X24LN




BAL3X28LN



BAL3X32LN



BAL3X36LN




BAL4X24LN*

Part Number	Maximum Center-to-Center Distance To Meet 4" Rule. <i>(See Page 2 BL For Details)</i>
BAL3X18LNOB*	5 7/16"
NEW BAL3X18LN	5 7/16"
NEW BAL3X20LN	5 7/16"
NEW BAL3X24LN	5 7/16"
NEW BAL3X28LN	5 7/16"
NEW BAL3X32LN	5 7/16"
NEW BAL3X36LN	5 3/16"
BAL4X24LN*	5 15/16"

*Cannot be used for stair applications.

6" Balustrade System Baluster - Piedmont (PM)




BAL4X36PM

Part Number Maximum Center-to-Center Distance To Meet 4" Rule.
(See Page 2 BL For Details)

BAL4X36PM	6 1/16"
-----------	---------

6" Balustrade System Baluster - Woodruff (WF)



BAL3X18WF

BAL3X20WFOB

BAL3X20WF

BAL3X24WF

BAL3X28WF


BAL3X32WF

BAL3X36WF

Part Number Maximum Center-to-Center Distance To Meet 4" Rule.
(See Page 2 BL For Details)

NEW BAL3X18WF	5 9/16"
BAL3X20WFOB	5 1/2"
NEW BAL3X20WF	5 7/32"
NEW BAL3X24WF	5 3/16"
NEW BAL3X28WF	5 3/16"
NEW BAL3X32WF	5 3/16"
NEW BAL3X36WF	5 1/8"


6" Balustrade System Top Rail



Part Number	Length	Baluster Rail Installation Kit* <small>(See Installation Guide Page 33)</small>	
BTR6X96	96"	BRK6-7	
BTR6X144 <small>Note: Max. rail span distance for field applications is 96."</small>	144"	BRK6-7	

*Connects both ends of one 6" Rail to applications.
May be used for corner or butt connections into NP8X48 or PP8X96.
(2 qty.) 4" wide x 1 1/2" x 2" Angle Brackets.
(8 qty.) #14 x 2 1/2" Stainless Steel Flat Head Screws.



6" Balustrade System Bottom Rail



Part Number	Length	Baluster Rail Installation Kit* <small>(See Installation Guide Page 33)</small>		Rail Support Block <small>(See Below)</small>
BBR6X96	96"	BRK6-7		RSB4X4X6
BBR6X144 <small>Note: Max. rail span distance for field applications is 96."</small>	144"	BRK6-7		RSB4X4X6

*Connects both ends of one 6" Rail to applications.
May be used for corner or butt connections into NP8X48 or PP8X96.
(2 qty.) 4" wide x 1 1/2" x 2" Angle Brackets.
(8 qty.) #14 x 2 1/2" Stainless Steel Flat Head Screws.

6" Balustrade System Rail Support Block




Part Number	
RSB4X4X6	

Rail Support Blocks should be placed under the Bottom Rail at a span of every 48" or less. These blocks can be trimmed for height.

6" Balustrade System Newel Post

One piece Post reinforced, height trimable.




Part Number	Newel Post Installation Kit* <small>(See Installation Guide Page 33)</small>	
NP8X48	NPK8	

*Hardware included to secure one NP8X48.
(2 qty.) 3/8" - 16 Hex Nuts.
(2 qty.) 3/8" - Lock Washers.
(2 qty.) 3/8" - Flat Washers.
(1 qty.) 1/4" x 6 1/2" Diameter Steel Top Mounting Plate.
(2 qty.) 3/8" x 50" Threaded Rods.
(1 qty.) 1/4" x 3 1/2" x 3 1/2" Octagon Steel Base Plate.
Fasteners to mount Steel Base Plate to floor surface not provided.

6" Balustrade System Porch Post

Post is load bearing and reinforced.*



Part Number

Porch Post Installation Kit**
(See Installation Guide Page 33)

Load Rating/Dead Load

PP8X96

PPK8

3000#


Note: PPK8 included with this Porch Post.

*Porch Post can be field trimmed to various heights without losing load rating.
**Hardware included to secure one PP8X96.
(2 qty.) Column Mounting Plates.
(4 qty.) #14 x 2" Stainless Steel Sheet Metal Screws.
Fasteners to mount angle brackets to floor surface not provided.
Trim Collar must be ordered separate.

6" Balustrade System Newel Post Accessories


Part Number

Coordinating Newel Post Accessories




PST10X10F
Post Top - Flat

B5X7




PST10X10P
Post Top - Peaked

—



B5X7
Ball

PST10X10F



TC8
Base Trim Collar

—

FEATURES AND BENEFITS

- Make porches, patios, balconies and stairways more elegant and inviting.
- Variety of styles and sizes define both indoor and outdoor spaces.
- Complete systems are available.
- Most non-corrosive fasteners are concealed.
- Structurally reinforced, tough and durable.



For complete information on all Pacific Columns product categories – Louvers, E-Vents, Window and Door Trim, Mouldings, Decorative Millwork and Balustrade Systems – consult our comprehensive, full-line catalog or visit www.pacificcolumns.com.

1040 S. Melrose
Placentia, CA 92870
Phone: 1.714.630.4550
1.800.294.1098 U.S. and Canada
Fax: 1.714.630.4549 U.S. and Canada

www.pacificcolumns.com
email: sales@pacificcolumns.com

All rights reserved. Changes to the products may have been made since publication. Please consult your architectural specialist prior to ordering. ©2004 Pacific Columns, Inc. Printed in U.S.A.